

# Curved-Edge Shelf

INSTALLATION INSTRUCTIONS



# SAFETY INFORMATION

Follow these instructions carefully. Do not place any more than 5kg of total weight on a shelf at any one time. It is the responsibility of the customer to ensure the shelf is adequately fastened to the wall and that the wall or plaster is in a condition capable of safely securing the shelf. If this shelf is not adequately fastened to the wall, or the wall or plaster is not adequate the shelf may fall and cause serious injury.





**VIEW VIDEO**

Click the button above to view a short installation video on our  
YouTube Channel @jemmervaledesigns

# GET ORGANISED

## WHAT'S INCLUDED

curved-edge shelf

2 x leather straps

2 x white plaster wall screws

2 x brass screws

2 x brass cup washers

## WHAT YOU NEED

screwdriver or drill on low speed

pencil

measuring tape

level (optional)

# STEP 1

Find ideal position for your shelf by holding your shelf against the wall. We recommend making a mark using a pencil on the wall to the left side of the shelf.

## **STEP 2**

Measure from the pencil mark, the distance you would like the strap from the edge of the shelf and make a second mark on the wall.

## **STEP 3**

From the second mark, measure up the wall approx. 22cm and make a mark with the end of a screw. This will be the position of the top of the leather strap on the left.

## STEP 4

Screw the white plaster wall screw for the left strap into this mark, see photo.





## **STEP 5**

Using your measuring tape, measure the distance from the middle of your white plaster wall screw to the top of the ceiling. Use this measurement when making the mark for the leather strap on the right to ensure that the shelf is level.

## STEP 6

Screw the white plaster wall screw for the right strap into place.



## STEP 7

Now you need to take both straps and fold them into position, see photo.



## **STEP 8**

Place your brass screw into the brass cup washer and place through the holes in folded leather strap.

## **STEP 9**

Using your screwdriver, or drill on low-speed, screw the brass screw into the white plaster wall screw. Repeat for second strap.

## STEP 10

Now you can place your shelf inside the two leather straps and position centrally. You may need to use a measuring tape to ensure it is centred between the straps and also a level to ensure that the shelf is flat, not leaning forward or back.



CURVED-EDGE SHELF - INSTALLATION INSTRUCTIONS

# STEP 11

Now your shelf is ready to be styled!



# PLEASE NOTE

The shelf will gradually settle into the leather just like a new pair of leather shoes. The fixings provided are intended for mounting the shelf into gyprock/plaster/drywall. We recommend no greater than 5kg of weight added to the shelf. If you are mounting the shelf into studs in the wall additional fixings from your local hardware store will need to be bought suitable for your situation.





## CURVED-EDGE SHELF - INSTALLATION INSTRUCTIONS



# MOODBOARD



**LEAVE REVIEW**

We hope you love your Jemmervale Designs shelf!  
If you have time, please leave us a review.

## CURVED-EDGE SHELF -INSTALLATION INSTRUCTIONS



# CONTACT

**E-mail**

[hello@jemmervaledesigns.com.au](mailto:hello@jemmervaledesigns.com.au)

**Website**

[jemmervaledesigns.com.au](http://jemmervaledesigns.com.au)

**Phone**

0400 981 250

**Address**

475 Verney Road, Shepparton VIC, Australia